

# **Tobacco Control: A Blue Chip Investment in Public Health**

*The economic case and a detailed proposal for greater investment in tobacco control in Australia*

## **SECTION 4**

### **References**

**Section 1 – Cover, Contents, Preamble, Executive Summary, Chapter 2**

**Section 2 – Chapters 3, 4 and 5**

**Section 3 – Chapters 6, 7, 8, 9 and 10**

**Section 4 – References**

**Section 5 – Attachment 1**

**Section 6 – Attachment 2**

**Section 7 – Attachment 3**

**Section 8 – Attachment 4**

## References

1. National Expert Advisory Committee on Tobacco. Background Paper: A companion document for the National Tobacco Strategy 1999 to 2002-03. Canberra: Ministerial Council on Drug Strategy and Intergovernmental Committee on Drugs, Department of Health and Aged Care; 1999 3 May, 1999.
2. Wakefield M, Freeman J, Boulter J. Changes associated with the National Tobacco Campaign: pre and post campaign surveys compared. In: Hassard K, editor. Australia's National Tobacco Campaign. Evaluation Report Volume One. Canberra: Commonwealth Department of Health and Aged Care; 1999.
3. Costello P. Not a new tax: a new tax system. Canberra: Australian Government Printing Service; 1998.
4. Sparkes C. Correspondence from Pharmacia & Upjohn concerning promotional budgets. In.; 2000.
5. MCDS. National Tobacco Strategy 1999 to 2002-03: A Framework for Action. Canberra: Department of Health and Aged Care; 1999 June 1999.
6. Wooldridge M. Wooldridge welcomes fall in smoking rates. In: MW 51/01 ed: Office for the Minister of Health and Aged Care; 2001.
7. White V. Preliminary results of survey of Smoking and Alcohol use among Australian Secondary School Students. In: Centre for Behavioural Research in Cancer; 2001.
8. Glantz S, Bero L, Hanauer P, Slade J, Barnes D. The Cigarette Papers: University of California Press ([www.ucpress.edu/books/6838.html](http://www.ucpress.edu/books/6838.html)); 1997.
9. Collishaw NE. Manipulation: The Story of Imperial Tobacco and its Cigarettes. Canada: Physicians for a Smoke-free Canada; 1999 October 1999.
10. Bates C, Watkins P, McNeill A. PR in the Playground: Tobacco company youth anti-smoking programs. London: ASH UK; Cancer Research Fund; 2000 October 2000.
11. Tan N, Wakefield M, Freeman J. Changes associated with the National Tobacco Campaign: results of the second follow-up survey. In: Australia's National Tobacco Campaign. Evaluation Report Volume Two. Canberra: Commonwealth Department of Health and Aged Care; 2000. p. 21-75.
12. Mullins R, Morand M, Borland R. Key findings of the 1994 and 1995 Household Survey. Melbourne: Victorian Smoking and Health Program; 1996.
13. US Surgeon General. The health consequences of smoking for women. Rockville, Maryland: U.S. Department of Health and Human Services, Public Health Service, Office of the Assistant Secretary for Health, Office on Smoking and Health; 1980.
14. Tengs T, Osgood N. The link between smoking and impotence: Two decades of evidence. *Prev Med* 2001;32(6):337-452.
15. Mitchell P, Chapman S, Smith W. "Smoking is a major cause of blindness": a new cigarette pack warning? *Medical Journal of Australia* 1999;171:173-174.
16. Evans J. Risk Factors for Age-related Macular Degeneration. *Prog Retin Eye Res* 2001;20(2):227-253.
17. Nakanishi N, Okamoto M, Nakamura K, Suzuki K, Tatara K. Cigarette smoking and risk for hearing impairment. A longitudinal study in Japanese male office workers. *J Occup Environ Med* 2000;42(11):1045-9.
18. Kong C, Nimmo L, Elatrozy T, Anyaoku V, Hughes C, Robinson S, et al. Smoking is associated with increased hepatic lipase activity, insulin resistance, dyslipidaemia and early atherosclerosis in Type 2 diabetes. *Atherosclerosis* 2001;156(2):373-8.
19. Manson J, Ajani U, Liu S, Nathan D, Hennekens C. A prospective study of cigarette smoking and the incidence of diabetes mellitus among US male physicians. *Am J Med* 2000;109(7):538-42.
20. Will J, Galuska D, Ford E, Mokdad A, Calle E. Cigarette smoking and diabetes mellitus: evidence of a positive association from a large prospective cohort study. *Int J Epidemiol* 2001;30(3):540-6.
21. Hunter D, Sambrook P. Bone loss. *Epidemiology of bone loss. Arthritis Res* 2000;2(6):441-5.



22. Harrison B, Silman A, Wiles N, Scott D, Symmons D. The association of cigarette smoking with disease outcome in patients with early inflammatory polyarthritis. *Arthritis Rheum* 2001;44(2):323-30.
23. Masdottir B, Jonsson T, Manfreosdottir V, Vikingsson A, Brekkan A, Valdimarsson H. Smoking, Rheumatoid Factor Isotypes and Severity of Rheumatoid Arthritis. *Rheumatology* 2000;39(11):1202-1205.
24. Hutchinson D, Shepstone L, Moots R, Lear J, Lynch M. Heavy Cigarette Smoking Is Strongly Associated With Rheumatoid Arthritis (RA), Particularly in Patients Without a Family History of RA. *Annals of the Rheumatic Diseases* 2001;60(3):223-227.
25. World Health Organisation. Nomenclature and classification of drug-and alcohol-related problems: a WHO memorandum. *Bull WHO* 1964;90:225-242.
26. US Department of Health and Human Services. The Health Consequences of Smoking: Nicotine Addiction. Rockville, Maryland: US Department of Health and Human Services, Public Health Service, Centers for Disease Control, Center for Chronic Disease Prevention and Health Promotion, Office of Smoking and Health; 1988.
27. US Department of Health and Human Services. The health benefits of smoking cessation. A report of the Surgeon General, 1990. Atlanta, GA: Centres for Disease Control, Centre for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health; 1990.
28. Hill D, Borland R. Adults accounts of onset of regular smoking: influences of school, work and other settings. *Public Health Reports* 1991;109:181-185.
29. Hill D, White V, Letcher T. Tobacco use among Australian secondary students in 1996. *Australia and New Zealand Journal of Public Health* 1999;23(3):252-259.
30. Hill D, White V, Effendi Y. Changes in the use of tobacco among Australian secondary school students: results of the 1999 prevalence study and comparison with earlier years. *Aust NZJ Public Health* 2002; Apr, 26(2):156-63.
31. Hill D, White V, Letcher T. Tobacco use among Australian secondary students in 1996. *Australian and New Zealand Journal of Public Health* 1999;23(3):252-259.
32. Trauth J, et al. Adolescent nicotine exposure produces immediate and long-term changes in CNS noradrenergic and dopaminergic function. *Brain Research* 2001;892(2):269-280.
33. Leslie F. Do young brains react differently to nicotine? In: *Promoting a Future Without Tobacco; 11th World Conference on Tobacco OR Health; 2000; Chicago; 2000.*
34. DiFranza J, Rigotti N, McNeill A, Ockene J, Savageau J, Cyr D, et al. Initial symptoms of nicotine dependence in adolescents. *Tobacco Control* 2000;9(3):313-319.
35. McGill Jr H, et al. Effects of serum lipoproteins and smoking on atherosclerosis in young men and women. *Arteriosclerosis, Thrombosis and Vascular Biology* 1997;17(1): 95-106.
36. Planas A, Clara A, Marrugat J, Pou J, Gasol A, de Moner A, et al. Age at onset of smoking is an independent risk factor in peripheral artery disease development. *J Vasc Surg* 2002;35; Mar:506-9.
37. Lash T, Ashengrau A. Active and passive cigarette smoking and occurrence of breast cancer. *American Journal of Epidemiology* 1999;149:5-12.
38. Collins DJ, Lapsley HM. Counting the cost: estimates of the social costs of drug abuse in Australia in 1998-99. Canberra: Commonwealth Department of Health and Aging; 2002.
39. Ridolfo B, Stevenson C. Quantification of Drug-caused Mortality and Morbidity in Australia, 1998. Canberra: Australian Institute of Health and Welfare; 2001 23 Feb, 2001. Report No.: Drug Statistics Series, No. 7 AIHW Cat. No PHE-29.
40. Leistikow B, Martin D. The health care costs of smoking. In: *The 11th World Conference on Tobacco OR Health; 2000 8/9/00; Chicago; 2000.*
41. Rodríguez AF, de Andres M, Guallar-Castillon P, Puente M, Gonzalez E, del Rey C. The association of tobacco and alcohol consumption with the use of health care services in Spain. *Prev Med* 2000;31(5):554-61.

42. Lee A, Hillman K, Daffurn K, Webster I. The Impact of Tobacco, Alcohol and Drugs on Admissions to Intensive Care and Coronary Care Units. Canberra: Department of Health and Community Services; 1995. Report No.: National Drug Strategy Research Report Series, Report No 3.
43. Adams C, Keating J, Court-Brown C. Cigarette smoking and open tibial fractures. *Injury-International Journal of the Care of the Injured* 2001;32(1):61-65.
44. Moller A, et al. Postoperative intensive care admittance: The role of tobacco smoking. *Acta Anaesthesiol Scand* 2001;45(3):345-348.
45. Orleans CT, Barker DC, Kaufman NJ, Marx JF. Helping pregnant smokers quit: meeting the challenge in the next decade. *Tob Control* 2000;9:III6-11.
46. English D, Vu J, Knuiman M. The impact of smoking on use of hospital services: the Busselton study. *ANZJPH* 2002;26(3):225-30.
47. **ABS.** Table 54. HOUSEHOLD FINAL CONSUMPTION EXPENDITURE, Current Prices : Original (\$m). In: Australian National Accounts: National Income, Expenditure and Product. Canberra: Australian Bureau of Statistics; 2001.
48. Wakefield M, Roberts L, Miller C. Perceptions of the effect of an impending restaurant smoking ban on dining-out experience. *Prev Med* 1999;29:53-6.
49. Collins DJ, Lapsley HM. The social costs of drug abuse in Australia in 1988 and 1992. Canberra: Commonwealth Department of Human Services and Health; 1996.
50. Australian Bureau of Statistics. National Health Surveys 1995 and 1989-90. Canberra, 1997.
51. Hirdes J, Maxwell C. Smoking cessation and quality of life outcomes among older adults in the Cambell survey on well-being. *Can J Public Health* 1994;85:99-102.
52. Jacobs S, Hansen F, Berkman L, Kasl S, Ostfeld A. Depression of bereavement. *Comprehensive Psychiatry* 1989;30(3):218-224.
53. Tippet V, Elvy G, Hardy J, Raphael B. *Mental Health in Australia: A review of current activities and future directions*. Canberra: Department of Human Services and Health; 1994.
54. ABS. Australian Social Trends, 1998. Canberra: Australian Bureau of Statistics; 2000.
55. Hocking B, Grain H, Gordon I. Cost to industry of illnesses related to alcohol and smoking. A study of Telecom Australia employees. *Med J Aust* 1994;Oct 3:161(7):407-412.
56. World Bank. *Curbing the epidemic: governments and the economics of tobacco control*. Washington: World Bank; 1999.
57. Warner KE, Fulton GA, Nicolas P, Grimes DR. Employment implications of declining tobacco product sales for the regional economies of the United States. *Journal of the American Medical Association* 1996;275:1241-6.
58. Warner K. The economics of tobacco: myths and realities. *Tob Control* 2000;9(1):78-89.
59. Cullinan P, Taylor AJN. Asthma in children: environmental factors. *BMJ* 1994;308(6944):1585-1586.
60. US Department of Health and Human Services. *The Health Consequences of Involuntary Smoking. A report of the Surgeon General*. Rockville, Maryland: US Department of Health and Human Services, Public Health Service, Centers for Disease Control, Center for Health Promotion and Education, Office on Smoking and Health; 1986.
61. California Environmental Protection Agency. *Health effects of exposure to environmental tobacco smoke*. Sacramento: Office on Environmental Health Hazard Assessment, California Environmental Protection Agency; 1997.
62. Cook DG, Strachan DP. Parental smoking and prevalence of respiratory symptoms and asthma in school age children. *Thorax* 1997;52:1081-94.
63. Zubrick S, Silburn S. Education, health and competence. *Western Australian Child Health Survey: Education and Competence*; 1997.



64. Repace J, Lowrey A. An enforceable indoor air quality standard for environmental tobacco smoke in the workplace. *Risk Analysis* 1993;13:463-475.
65. UK Department of Health. Report of the Scientific Committee on Tobacco and Health: UK Department of Health; 1998.
66. Otsuka R, Watanabe H, Hirata K, Tokai K, Muro T, Yoshiyama M, et al. Acute effects of passive smoking on the coronary circulation in healthy young adults. *JAMA* 2001;286:436-441.
67. England L, Kendrick J, Gargiullo P, Zahniser S, Hannon W. Measures of maternal tobacco exposure and infant birth weight at term. *Am J Epidemiol* 2001;153(10):954-60.
68. Stratton K, Padma S, Wallace R. Clearing the smoke: Assessing the Science Base for Tobacco Harm Reduction. Washington: Institute of Medicine; 2001.
69. Scollo M, Sweanor D. Letters to the Editor : cigarette taxes. *Tobacco Control* 1999;8(1):110-111.
70. Guindon G, Tobin S, Yach D. Trends and affordability of cigarette prices: ample room for tax increases and related health gains. *Tobacco Control* 2002 11(1):35-44.
71. Corrao M, Guidon G, Sharma N, Shokoohi D. Tobacco Control Country Profiles. Atlanta, Georgia: American Cancer Society; 2000.
72. White V, Scollo M. What are underage smokers worth to Australian tobacco companies? *Aust N Z J Public Health*: submitted 2003.
73. Australian Bureau of Statistics. Monthly tobacco excise receipts: Australian Bureau of Statistics; 2001.
74. Carter S, Borland R, Chapman C. Finding the Strength to Kill Your Best Friend - smokers talk about smoking and quitting. Sydney: Australian Smoking Cessation Consortium and GlaxoSmithKline Consumer Healthcare; 2001 May 2001.
75. ACIL. Smoking: Costs and Benefits for Australia, report commissioned by the Tobacco Institute of Australia. Canberra; 1994.
76. Collins C, Lapsley L. Estimating the Economic Costs of Drug Abuse in Australia. Canberra: Department of Health and Community Services in association with the National Campaign Against Drug Abuse; 1991 January 1991.
77. Leistikow B. Estimates of smoking attributable deaths at ages 15-54, motherless or fatherless youths and resulting social security costs in the United States in 1994. *Preventive Medicine* 2000;30:353-360.
78. President's Commission on Improving Economic Opportunity in Communities Dependent on Tobacco Production while Protecting Public Health. Preliminary Report. Washington DC: United States Department of Agriculture and Farm Service Agency; 2001 May 18.
79. British American Tobacco Australasia. Annual Report 2000. 2000. Access date" 14/02/2003 URL: <http://www.bata.com.au/compcorp.asp>.
80. Single E, Collins D, Easton B, Harwood H, Lapsley H, Kopp P, et al. International Guidelines for Estimating the Costs of Substance Abuse – Second Edition, 2001. Ottawa: Canadian Centre on Substance Abuse, <http://www.ccsa.ca/Costs/Guidelines/intguideapp.htm>; 2001.
81. Centers for Disease Control and Prevention. Best Practices for Comprehensive Tobacco Control Programs. Atlanta GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health; 1999 August 1999.
82. Pierce JP, et al. Tobacco control in California: who's winning the war? An evaluation of the Tobacco Control Program, 1989-1996. La Jolla, California: University of California, San Diego; 1998.
83. Pierce J, Gilpin E, Emery S, White M, Rosbrook B, Berry C. Has the California Tobacco Control Program reduced smoking? *JAMA* 1998;280(10):893-899.
84. Fichtenberg C, Glantz S. Association of the California Tobacco Control Program with Declines in Cigarette Consumption and Mortality from Heart Disease. *N Engl J Med* 2000;343(24, Dec 14):1772-1777.

85. Centers for Disease Control and Prevention. Declines in Lung Cancer Rates - California, 1988-1997. Atlanta, GA: US Department of Health and Human Services; 2000.
86. Centers for Disease Control. Investment in Tobacco Control: State Highlights 2001. Atlanta, GA: US Department of Health and Human Services; 2001.
87. Leistikow B, Martin D. Reducing smoking and total mortality: California and Massachusetts successes. In: Promoting a Future Without Tobacco; August 1999 August 1999; Chicago; August 1999.
88. World Bank. The world development report 1993: investing in health. New York: Oxford University Press; 1993.
89. World Health Organisation. Guidelines for controlling and monitoring the tobacco epidemic. Geneva: WHO; 1998.
90. Silagy C, Lancaster T, Stead L, Mant D, Fowler C. Nicotine replacement therapy for smoking cessation (Cochrane Review). In: Cochrane Library; 2000.
91. Lancaster T, Silagy C. Tobacco Addiction Module of the Cochrane Database of Systematic Reviews. In: The Cochrane Collaboration. Oxford; 1998.
92. Lancaster T, Stead L. Self-help interventions for smoking cessation. In: 2:CD001118 ed: Cochrane Database Systematic Reviews; 2000.
93. Lancaster T, Stead L. Individual behavioural counselling for smoking cessation. In: 2CD001292 ed: Cochrane Database Systematic Reviews; 2000.
94. Lumley J, et al. Interventions for promoting smoking cessation during pregnancy. In: 2:CD001055. ed: Cochrane Database Syst Rev; 2000.
95. Reid D. Tobacco control: overview. British Medical Bulletin. London, UK: The British Council, Association for Public Health; 1996 1996. Report No.: 52(No. 1).
96. Centers for Disease Control and Prevention. Strategies for reducing exposure to environmental tobacco smoke, increasing tobacco-use cessation, and reducing initiation in communities and health-care systems. A report on recommendations of the Task Force on Community Preventive Services. Atlanta, GA: US Department of Health and Human Services; 2000 November 10 2000. Report No.: MMWR 2000; 49 (No. RR-12).
97. National Cancer Institute. Strategies to Control Tobacco Use in the United States: a blueprint for public health action in the 1990s. Bethesda, MD: US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute; 1991.
98. National Cancer Policy Board. State Programs Can Reduce Tobacco Use. Washington DC: National Cancer Policy Board, Institute of Medicine; 2000.
99. Agency for Health Care Policy and Research (AHCPR). Smoking Cessation: Clinical Guideline No 18; 1996.
100. US Department of Health and Human Services. Reducing Tobacco Use: A Report of the Surgeon General. Atlanta, Georgia: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health; 2000.
101. US Department of Health and Human Services. Reducing the health consequences of smoking: 25 years of progress. A report of the US Surgeon General. Rockville, Maryland: US Department of Health and Human Services, Public Health Service, Centers for Disease Control, Centre for Chronic Disease Prevention and Health Promotion, Office of Smoking and Health; 1989.
102. Warner KE. Effects of anti-smoking campaigns: an update. American Journal of Public Health 1989;79:144-151.
103. Burns D, Lee L, Shen Z, Gilpin B, Tolley D, Vaughin J, et al. Cigarette smoking behaviour in the United States. In: Burns D, Garfinkel L, Samet J, editors. Changes in Cigarette-Related Disease Risks and Their Implication for Prevention and Control. Bethesda, MD: US Department of Health and Human Services, National Institutes of Health, National Cancer Institute; 1997.



104. Lewit EM, Coate D, Grossman M. The effects of government regulation on teenage smoking. *Journal of Law and Economics* 1981;24(3): 545-69.
105. Pierce J, Macaskill A, Hill D. Long-term effectiveness of mass media led antismoking campaigns in Australia. *AJPH* 1990;80:565-569.
106. Winstanley M, Woodward S, Walker N. *Tobacco in Australia; Facts and Issues* 1995. Carlton South: Victorian Smoking and Health Program; 1995.
107. Hill DJ, White VM, Scollo MM. Smoking behaviours of Australian adults in 1995: trends and concerns. *Medical Journal of Australia* 1998;168:209-213.
108. Scollo M. Contributions to tobacco control state and federal government and non-government. In: Unpublished data; 2001.
109. Hill D, Borland R, Carrol T, Donovan R, Taylor J. Perspectives of the Australian National Tobacco Campaign. In: Hassard K, editor. *Australia's National Tobacco Campaign, Evaluation Volume Two*. Canberra: Commonwealth Department of Health and Aged Care; 2000. p. p. 1-9.
110. Philip Morris Australia Ltd. *Australian Market Industry Volume and Tax*. Melbourne: Philip Morris Australia Ltd.; 2000.
111. Manley M, Pierce J, Gilpin E, Rosbrook B, Berry C, Wun L. Impact of the American Stop Smoking Intervention Study on cigarette consumption. *Tobacco Control* 1997;6(Suppl 2):s12-s16.
112. Farrelly M, Pechacek TF, Chaloupka F. *The Impact of Tobacco Control Program Expenditures on Aggregate Cigarette Sales: 1981-1998*. New York: National Bureau of Economic Research; NBER working paper No. W8691. 2001 May 2001.
113. Bal D, Kiser K, Felten P, Mozar H, Niemeyer D. Reducing tobacco consumption in California. *Journal of the American Medical Association* 1990;264:1570-1574.
114. Biener L, Harris J, Hamilton W. Impact of the Massachusetts tobacco control programme: population based trend analysis. *British Medical Journal* 2000;321:351-4.
115. Weintraub JM, Hamilton WL. Trends in prevalence of current smoking, Massachusetts and states without tobacco control programmes, 1990 to 1999. *Tob Control* 2002;11:ii8-13.
116. Centers for Disease Control and Prevention. Decline in cigarette consumption following implementation of a comprehensive tobacco prevention and education program - Oregon 1996-1998. *Morbidity and Mortality Weekly Report* 1999;48(7):140-143.
117. State of Arizona. *Performance Audit: Department of Health Services' Tobacco Education and Prevention Program*. Phoenix, Arizona: Office of the Auditor General; 1999 1999.
118. Burgoon M, Alvero E, Miller C, Denning V, Grandpre J, Wiley P. Initial results of a 1-year evaluation of Arizona's tobacco prevention and cessation media campaign. In: *11th World Conference on Tobacco OR Health*; 2000 8/7/00; Chicago; 2000.
119. Oregon Department of Human Resources. *Tobacco Prevention and Education Program Report*. Portland, OR: Oregon Health Division; 1999.
120. Goldman LK, Glantz SA. Evaluation of antismoking advertising campaigns. *Journal of the American Medical Association* 1998;279(10):772-777.
121. Sparks R, Green L. Mass media in support of smoking cessation. In: Institute NC, editor. *Population Based Smoking Cessation: Proceedings of a Conference on What Works to Influence Cessation in the General Population*. Bethesda, MD: US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute; 2000.
122. Pierce JP, Gilpin EA, Emery SL, White MM, Rosbrook B, Berry CC, et al. Has the California tobacco control program reduced smoking? *Jama* 1998;280:893-9.
123. Biener L, McCallum-Keeler G, Nyman A. Adults' response to Massachusetts anti-tobacco television advertisements: impact of viewer and advertisement characteristics. *Tobacco Control* 2000;9(4):401-407.

124. Friend K, Levy DT. Reductions in smoking prevalence and cigarette consumption associated with mass-media campaigns. *Health Educ Res* 2002;17:85-98.
125. Centre for Behavioural Research in Cancer. Quit evaluation studies. Melbourne: Victorian Smoking and Health Program; 1986 to 2001.
126. Peterson JA, Kealey K, Mann S, Marek P, Sarason I. Hutchinson Smoking Prevention Project: Long-Term Randomised Trial in School-Based Tobacco Use Prevention—Results on Smoking. *Journal of the National Cancer Institute* 2000;92(24):1979-1991.
127. Jha P, Chaloupka F. *Curbing the Epidemic: Governments and the Economics of Tobacco Control*. Washington: The World Bank; 1999.
128. Charlton A, Blair V. Absence from school related to children's and parental smoking habits. *British Medical Journal* 1989;298:90-2.
129. Charlton A, While D, Kelly S, Huang W. Letters to the editor: causes of absence from school related to children's and their parents' smoking. *Tobacco Control* 1997;6(2):150-151.
130. Nutbeam D, Macaskill P, Smith C, Simpson JM, Catford J. Evaluation of two school smoking education programmes under normal classroom conditions. *British Medical Journal* 1993;306:102-7.
131. Charlton A. School Based, Youth-centred Smoking Intervention Programmes: To Be or Not To Be? In: *International Consultation on Tobacco and Youth*; 1999; Singapore; 1999.
132. NHS Centre for Reviews and Dissemination. Preventing the uptake of smoking in young people. *Effective Health Care* 1999;5(5):1-12.
133. National Institute for Clinical Excellence. Guidance on the use of nicotine replacement therapy (NRT) and bupropion for smoking cessation. *Technology Appraisal Guidance – No 39: NICE*, March 2002.
134. West R, McNeill A, Raw M. Smoking cessation guidelines for health professionals: an update. *Thorax* 2000;55(987-999).
135. Woolacott NF, Jones L, Forbes CA, Mather LC, Sowden AJ, Song FJ, et al. The clinical effectiveness and cost-effectiveness of bupropion and nicotine replacement therapy for smoking cessation: a systematic review and economic evaluation. *Health Technol Assess* 2002;6:1-245.
136. Fiore M, Bailey W, Cohen S, et al. *Treating Tobacco Use and Dependence. Clinical Practice Guideline*. Rockville MD: US Department of Health and Human Services. Public Health Service.; 2000.
137. Peto R, Darby S, Deo H, Silcocks P, Whitley E, Doll R. Smoking, smoking cessation, and lung cancer in the UK since 1950: combination of statistics with two case-control studies. *BMJ* 2000;321:323-329.
138. Burns DM. Smoking cessation: Recent indicators of what's working at a population level. In: Shopland D, editor. *Population Based Smoking Cessation*. Bethesda: US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute; 2000.
139. Silverstein M, Nietert P, Zoller J, Silvestri G. Predicted impact of attaining smoking reduction goals on mortality. *South Med J* 2001;94(2):176-83.
140. Levy D, Cummings KM, Hyland A. A simulation of the effects of youth initiation policies on overall cigarette use. *American Journal of Public Health* 2000a;90:1311-4.
141. Henningfield JE. Tobacco dependence treatment: scientific challenges; public health opportunities. *Tobacco Control* 2000;9(Suppl 1):3-10.
142. Wakefield M, Chaloupka F, Kaufman J, Orleans C, Barker D, Ruel E. Effect of restrictions on smoking at home, at school, and in public places on teenage smoking: cross sectional study. *British Medical Journal* 2000;321:333-337.
143. Bauer U, Johnson T, Hopkins R, Brooks R. Changes in youth cigarette use and intentions following implementation of a tobacco control program: findings from the Florida Youth Tobacco Survey, 1998-2000. *Journal of the American Medical Association* 2000;284(6):723-8.
144. Siegel M, Biener L. The impact of an antismoking media campaign on progression to established smoking: results of a longitudinal youth study. *American Journal of Public Health* 2000;90(3):380-386.



145. The Commonwealth of Massachusetts. Adolescent Tobacco use in Massachusetts - trends among public school students 1996-1999. Boston MA: Department of Public Health, Executive Office of Health and Human Services; June 2000 June 2000.
146. Wakefield M, Chaloupka F. Effectiveness of Comprehensive Tobacco Control Programs in Reducing Teenage Smoking. *Tobacco Control* 2000;9(2):177 -186.
147. Wakefield M, Flay B, Nichter M, Giovino G. Can Anti-smoking Advertising Influence Youth Smoking: A Review. Chicago: Health Research and Policy Centers, University of Illinois; 2001.
148. Wakefield M, Flay B, Nicheter M, Giovino G. Role of media in influencing trajectories of youth smoking. Chicago: Health Research and Policy Centers, University of Illinois; 2001.
149. Tan N, Montague M, Freeman J. Impact of the National Tobacco Campaign: Comparison between teenage and adult surveys. In: Hassard K, editor. Australia's National Tobacco Campaign: Evaluation report volume two. Canberra: Commonwealth of Australia, Department of Health and Aged Care; 2000. p. p. 78-113.
150. Farkas A, Gilpin E, White M, Pierce J. Association between household and workplace smoking restrictions and adolescent smoking. *Journal of the American Medical Association* 2000;284(6):717-722.
151. Bennett S. Socioeconomic trends in death from coronary heart disease and death among Australian men, 1979-1993. *International Journal of Epidemiology* 1996;25:266-75.
152. Mathers C. Health differentials among adult Australians aged 25-64 years. Canberra: Australian Institute of Health and Welfare, Australian Government Publishing Service; 1994. Report No.: Health Monitoring Series No 1.
153. Mathers C, Vos T, Stevenson C. The Burden of Disease and Injury in Australia. Canberra: Australian Institute of Health and Welfare; 1999 November 1999. Report No.: AIHW cat. no. PHE 17.
154. Fitzsimmons G, Cooper- Stanbury M. National Drug Strategy Household Survey: State and Territory results. Canberra: AIHW; 1998.
155. Bates C. Submission to the UK Chancellor of the Exchequer. London: ASH UK; 2001.
156. Acheson D. Independent Inquiry into Inequalities in Health. London: The Stationery Office; 1998.
157. Wakefield M, Freeman J. Unpublished.
158. Jha P, Chaloupka F. The economics of global tobacco control. *BMJ* 2000;7257:358-361.
159. Woollery T, Asma S, Chaloupka F, Novotny T. Clean indoor air and youth access legislation to reduce the demand for tobacco products. In: Jha P, Chaloupka F, editors. *Tobacco Control Policies in Developing Countries*: Oxford University Press; 2000.
160. Glantz SA, Smith CRA. The effects of ordinances requiring smoke-free restaurants on restaurant sales. *American Journal of Public Health* 1994;84:1081-5.
161. Glantz S. Smoke-free restaurants do not affect restaurant business. *Period. J Publ Health Manage Practice* 1999;5:v-ix.
162. Huang P, Tobias S, Kohout S, Harris M, Satterwhite D, Simpson D, et al. Assessment of the impact of a 100% smoke-free ordinances on restaurant sales - West Lake Hills, Texas, 1992-1994. *Morbidity and Mortality Weekly Report* 1995;44(19):370-372.
163. Hyland A, Cummings K, Nauenberg E. Analysis of taxable sales receipts: was New York City's Smoke-free Air Act bad for business? *Journal of Public Health Management Practices* 1999;5(1):14-21.
164. Hyland A, Cummings K. Restaurant employment before and after the New York City Smoke-free Air Act. *Journal of Public Health Management Practices* 1999;5(1):22-27.
165. Hyland A, Vena C, Cummings K, Lubin A. The Effect of the Clean Air Act of Erie County, New York on Restaurant Employment. In submission 2000.
166. Aspen Resort Association. "Business Update", October 1986 through March 1987: Aspen/ Pitkin Environmental Health Department; 1990.

167. Bartosch W. The economic effect of smoke-free restaurant policies on restaurant businesses in Massachusetts. *Journal of Public Health Management Practices* 1999;5(1):53-62.
168. City of Boulder Colorado. Tax receipt data; 1996.
169. California State Board of Equalization. Sales tax receipts. Sacramento: California State Board of Equalization; 2000 October 2000.
170. Glantz S, Smith L. The effect of ordinances requiring smoke-free restaurants and bars on revenues: A follow up. *American Journal of Public Health* 1997;87(10):1687-1693.
171. Glantz S, Charlesworth A. Tourism and hotel revenues before and after passage of smoke-free restaurant ordinances. *Journal of the American Medical Association* 1999;281:1911-1918.
172. Goldstein A, Sobel R. Environmental tobacco smoke regulations have not hurt restaurant sales in North Carolina. *North Carolina Medical Journal* 1998;59(5):284-287.
173. Maroney N, Sherwood D, Stubblebine W. The impact of tobacco control ordinances on restaurant revenues in California. Claremont, California: The Claremont Institute for Economic Policy Studies; 1994.
174. Sciacca J, Ratliff M. Prohibiting smoking in restaurants: Effects on restaurant sales. *American Journal of Health Promotion* 1998;12(3):176-184.
175. Siegel M. Economic impact of 100% smoke-free restaurant ordinances. Berkeley: UC Berkeley/UCSF Preventative Medicine Residency Program; American Heart Association, California Affiliate; Alameda County Health Care Services Agency, Tobacco Control Program, 1992; 1992.
176. SCARC. New study adds to economic evidence supporting smoke-free restaurant ordinances. Washington, DC: Smoking Control Advocacy Research Center; 1997.
177. The Conference Board of Canada. The economics of smoke-free restaurants. Toronto; 1996.
178. Perley M. Summary of evidence re:economic impact of smoke-free hospitality industry policies. Toronto: Ontario Campaign for Action on Tobacco; 1999.
179. Saffer H, Chaloupka F. Tobacco advertising: economic theory and international evidence working paper 6958. Cambridge: National Bureau of Economic Research; 1999.
180. Saffer H, et al. The effect of tobacco advertising bans on tobacco consumption. *J Health Econ* 2000;19(6):1117-37.
181. Wallack L, Dorfman L. Media advocacy: A strategy for advancing policy and promoting health. *Health Education Quarterly* 1996;23(3):293-317.
182. Chapman S, Dominello A. A strategy for increasing news media coverage of tobacco and health in Australia. *Health Promotion International* 2001;16(2):137-143.
183. Shopland D. Population Based Smoking Cessation: Proceedings of a Conference on What Works to Influence Cessation in the General Population. Smoking and Tobacco Control. Bethesda, MD: US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute; 2000.
184. US Department of Health and Human Services. The health consequences of smoking on cardiovascular disease. A report of the Surgeon General 1983. Rockville, Maryland: Public Health Service, Office on Smoking and Health; 1983.
185. Suskin N, Sheth T, Negass A, Yusuf S. Relationship of current and past smoking to mortality and morbidity in patients with left ventricular dysfunction. *Journal of the American College of Cardiology* 2001;37:1677-1682.
186. Lightwood K, Glantz S. Short term economic and health benefits of smoking cessation. Myocardial infarction and stroke. *Circulation* 1997;96(4):1089-96.
187. Naidoo B, Stevens W, McPherson K. Modelling the short term consequences of smoking cessation in England on the hospitalisation rates for acute myocardial infarction and stroke. *Tob Control* 2000;9(4):397-400.



188. English D, Holman C, Milne E, et al. The quantification of drug caused morbidity and mortality in Australia. Canberra: Commonwealth Department of Human Services and Health; 1995.
189. Lightwood J, Phibbs C, Glantz S. Short term health and economic benefits of smoking cessation: Low birth weight. *Pediatrics* 1999;104:1312-1320.
190. Glantz S. Tobacco Control in Australia: It's Time to Get Back on Top Down Under. 1997;7(1).
191. Irish Minister for Health. Towards a Tobacco Free Society; 2000.
192. UK Department of Health. Smoking Kills. A White Paper on tobacco. London: The Stationery Office; 1998.
193. Pierce J, Gilpin E, Emery S, White M, Rosbrook B, Berry C. Has the Californian tobacco control program reduced smoking? *Am J Public Health* 2000;90:893-9.
194. Connelly G, Bal D, Daube M, Swanson M, Hill D, Scollo M. Unpublished; 2001.
195. Collins D, Lapsley H. The Social Costs of Tobacco in Victoria and the Social Benefits of Quit Victoria. Melbourne: Victorian Smoking and Health Program; 1999.
196. Carter R, Scollo M. Economic evaluation of the National Tobacco Campaign. In: Hassard K, editor. Australia's National Tobacco Campaign. Evaluation Report Volume Two. Canberra: Commonwealth Department of Health and Aged Care; 2000. p. 201-238.
197. Carter R, Stone C, Vos T, Hocking J, Mihalopoulos C, Peacock S, et al. Trial of Program Budgeting and Marginal Analysis (PBMA) to Assist Cancer Control Planning in Australia. Melbourne: Centre for Health Program Evaluation; 2000 October 2000. Report No.: 19 [PBMA Series No 5].
198. National Health Priorities and Quality Branch. National Health Priority Areas Overview. Population Health Division, Department of Health and Aged Care; 2000.
199. Department of Health and Aged Care. General Practice and Population Health. In: General Practice Branch, Canberra; 2000.
200. Letcher T, Mullins R. Doctors' advice to their patients about smoking: 1998 update. Melbourne: The Anti-Cancer Council of Victoria; 2000.
201. Tengs T, Adams M, Plisin J, Safran D, et al. Five-hundred life saving interventions and their cost-effectiveness. *Risk Anal* 1995;15:369-89.
202. Maciosek M, Coffield A, McGinnis J, Harris J, Caldwell M, SM T, et al. Methods for priority setting among clinical preventive services. *AJPM* 2001;21(1):10-19.
203. Coffield A, Maciosek M, McGinnis J, Harris J, Caldwell M, Teutsch S, et al. Priorities among recommended clinical preventive services. *AJPM* 2001;21(1): 1-9.
204. Johnston G, Wilkinson D. Increasingly inequitable distribution of general practitioners in Australia, 1986-96. *ANZJPH* 2001;25(1):66-70.
205. Trotter L. Personal communication; 2001.
206. Mathers C, Penm R, Sanson-Fischer R, Carter R, Campbell E. Health system costs of cancer in Australia 1993-94. Canberra: AIHW; 1998.
207. Mathers C, Penm R. Health system costs of cardiovascular diseases and diabetes in Australia 1993-94. Canberra: AIHW; 1999.
208. Doll R, Hill AB. Smoking and carcinoma of the lung. *BR Med J* 1950;2:739.
209. Wynder E, Graham EA. Tobacco smoking as a possible etiologic factor in bronchogenic carcinoma. *JAMA* 1950;143:329-336.
210. Royal College of Physicians. Smoking and Health: A Report of the Royal College of Physicians in relation to cancer of the lung and other diseases. London: Pitman, 1962.
211. Pharmaceutical Benefits Branch. Top Ten ATC Drug Groups with Greatest increase in Government Cost. Department of Health and Aged Care; 2000.

212. Awofeso N, Testaz R, Wyper S, Morris S. Smoking prevalence in New South Wales correctional facilities. *Tobacco Control* 2001;10(1):84-85.
213. Jorm A. Association between smoking and mental disorders: Results from an Australian National Prevalence Survey. *ANZ JPH* 1999;23(3):245-.
214. Elkins K, Curry C, Harrigan S, McGorry P. Cigarette smoking and psychosis: the first episode experience. In: *Mental Illness and smoking cessation: an urgent public health issue*; 1996 1996; Melbourne: Victorian Smoking and Health Program; 1996.
215. Polgar S, McGartland M, Hales T. Cigarette smoking and schizophrenia: A public health issue. *Australian Journal of Primary Health-Interchange* 1996;2(2):21-28.
216. Polgar S, McGartland M, Borlongon C, Shytle R, Sandber O. Smoking cessation programs are neglecting the needs of persons with neuropsychiatric disorders. *Australian and New Zealand Journal of Medicine* 1996;26:572-73.
217. Pierce J, Gilpin E. News media coverage of smoking and health is associated with changes in population rates of smoking cessation but not initiation. *Tob Control* 2001;10(2):145-53.
218. Health Insurance Commission. Prescription data, item 8465M; 2001.
219. Smith S. Personal Communication. In: *GlaxoSmithKlein*; 2001.
220. Zhu SH, et al. Telephone counselling for smoking cessation: effects of single session and multiple session interventions. *J Cons Clin Psycho* 1996;64:202-11.
221. Borland R, Segan C, Livingstone P, Owen N. The effectiveness of call back counselling for smoking cessation: a randomised trial. *Addiction* 2001;96(6):881-889.
222. Slade J, Henningfield JE. Tobacco Product Regulation: Context and Issues. *Tobacco Dependence: Innovative Regulatory Approaches to Reduce Death and Disease. Food and Drug Law Journal Supplement* 1998;53:44-76.
223. Federal Trade Commission. *Tar, Nicotine and Carbon Monoxide of the smoke of 1252 varieties of Domestic Cigarette for the Year 1997*; 1999.
224. Anon. How 2000 shaped up in advertising. *B and T Weekly* 2001 30 March 2001;Sect. p. 21.
225. Hill D, White V. Australian adult smoking prevalence in 1992. *Australian Journal of Public Health* 1995;19:305-308.
226. Government of the United States. *Federal Cigarette Labeling and Advertising Act of 1966*. In: 15 U.S.C. §§ 1331-1340, as amended ed.
227. FTC. *Federal Trade Commission Report to Congress for 1999*; 2001.
228. Scollo M, Chapman S, (eds). *Tobacco Control in Australia: A priority-driven research agenda*. November 1999 ed. Melbourne: Anti Cancer Council of Victoria; 1999.
229. The International Consortium of Investigative Journalists. *Tobacco companies linked to criminal organisations in lucrative cigarette smuggling*. Centre for Public Integrity; 2001.
230. ASH UK. *Extensive collection of international materials on smuggling*. Action on Smoking and Health, UK; 2001.
231. Anon. Smokes shredded. *Herald Sun* 2000 25 October 2000;Sect. p. 24.
232. Anon. Cigs seized. *Canberra Times* 2001 27 March, 2001;Sect. page 1.
233. Australian Tax Office. *The New Tax System: Information for Business*. Canberra; 2001.
234. Martin P. *A New Tobacco Tax Structure in Canada*. Public Affairs and Operations Division; 2001.
235. Bitton A, Fichtenberg MS, Glantz S. Reducing smoking prevalence to 10% in five years. *JAMA*, 2001;286(21):2733-4.
236. Farkas A, Distefan J, Choi W, Gilpin E, Pierce J. Does parental smoking cessation discourage adolescent smoking? *Prev Med* 1999;28:213-8.



237. Nusselder W, Looman C, Marang-van de Mheen P, Van de Mheen H, Mackenbach J. Smoking and the compression of morbidity. *J Epidemiol Community Health* 2000;54:566-574.
238. Carter R, Scollo M. Model to predict changes in incidence and health care costs of smoking related diseases. Melbourne: VicHealth Centre for Tobacco Control; 2001 unpublished.
239. Ebrahim S, et al. What role for statins? A review and economic model. *Health Technology Assessment* 1999;3(19).
240. Tobacco control in Australia: a priority driven research agenda: National Heart Foundation and Australian Cancer Society; 1999.